

TOILET AND KITCHEN ROLL REWINDERS

Ref. #239

1 PERINI toilet and kitchen roll rewinder line model Simplex, year 1993, working width 2.520 mm, with 2 unwind stands model 48.10, 1 embossing station for micro embossing model 470C, 1 em- bossing station for DESL embossing model 49.01, rewinder model Simplex 68.81, tail sealer model 560C, accumulator model 511 for 180 logs, log loader, 2 log saws model 140 with Trimex 51.01, production speed of the line 500 m/min. resp. 30 logs / min., with CASMATIC wrapper model CMW 42EV (year 2000, speed 110 packs / min.) and 2 WRAPMATIC bundlers model BFA25, as well as with core winder PERINI 211 incl. core loader, very good condition, immediately available

Ref. #240

1 PERINI toilet and kitchen roll rewinder line model Simplex, year 1993, working width 2.520 mm, with 2 unwind stands model 48.10 resp. 48.11, 1 embossing station for DESL embossing model 89.10, rewinder model Simplex 68.81, tail sealer model 560C, accumulator model 511 for 180 logs, log loader, 2 log saws model 164E with Trimex 174E, production speed of the line 500 m/min. resp. 30 logs / min., with CASMATIC wrapper model CMW 42EV (year 2000, speed 110 packs / min.) and 1 WRAPMATIC PW30, furthermore with 2 CASMATIC bundlers model Super H (year 2000) and 1 core winder PERINI 211 incl. core loader, very good condition, immediately available

Ref. #247

1 TMC bundler model FBS200, year 1999 (updated on a regular basis), for infeed pack size 350 – 850 mm width and 360 – 850 mm length, max. film reel width 2.400 mm, automatic product infeed, production speed up to 14 bundles / min. (depending on the configuration and dimension of the pack) very good condition, immediately available

Ref. #279

1 PERINI toilet and kitchen roll rewinder line model Alfetta, year 1987, working width 2.650 mm, with 2 unwind stands model 48.10 and 48.11, 1 embossing station for P/P embossing / lamination model 49.01 Speciale (year 1997), rewinder model 68.40 Alfetta, tail sealer model 560C, accumulator model 511, for 250 logs, log loader model 613, log saw model 163E (with Trimex model 106E), furthermore with core winder model 211 and core supply model 622, production speed of the line 600 m/min. without lamination / 450 m/min. with lamination, resp. 25 logs / min., with 1 WRAPMATIC wrapper model MW42 (year 1998) and 1 WRAPMATIC wrapper PW30, as well as with 1 CASMATIC bundler and 1 OCME palletizer, in storage, immediately available

Ref. #325

1 AMOTEK bag filler model PB142-BR, year 1999, with four lane infeed, for packing both 'horizontal' and 'vertical' rolls (upender), grouping station, roll pushing system, automatic bag opening and feeding, sealing station, film waste collection, outfeed belt, presently equipped for 4-6-8-10-12 toilet rolls / pack, production speed approx. 40 bags / min., very good condition, immediately available

Ref. #339

1 SCHNEIDER horizontal case packer model HCP-4V1P, year 2011, box sizes min. 46 x 25 x 32 cm, max. 76 x 51 x 56 cm, 5lane infeed, automatic product stacking, collating, and loading station, speed 11 boxes / minute, excellent condition, immediately available





1 PERINI toilet and kitchen roll rewinder line model Delta, year 1989, working width 2.700 mm, with 2 unwind stands, 1 point/point embossing / lamination station model 49.20, 1 printing station model 63.72, rewinder Delta 78.30 for logs of 90 – 140 mm diam., tail sealer model 65.30, accumulator model 513 for 170 logs, 2-lane log saw model 164E incl. Trimex (year 1996), speed 450 m/min. resp. 25 logs / min., with 1 CASSOLI PAC602-R and 1 CASSOLI PAC110 wrapper, 1 CASSOLI MAC50 handle applicator, 1 CASSOLI IN/5D bundler, as well as with 1 core winder model 200, very good condition, still in production, immediately available

Ref. #382

1 CASMATIC bundler model CMB200, year 1999, infeed pack size length 200 - 800 mm, width 330 – 850 mm, height 190 – 345 mm, with automatic product infeed, collecting and sorting unit, unwind stand for film, wrapping unit, outfeed belt, production speed 16 bundles / min. (depending on the configuration and dimension of the pack), very good condition, immediately available

Ref. #401

1 PERINI toilet and kitchen roll rewinder line model Alfaflex, year 1992, working width 3.400 mm, with 2 unwind stands model 48.11, 1 embossing / lamination station model 482C, rewinder model Alfaflex 68.10, 2 tail sealers model 65.30, 2 accumulators model 510, 2 log loaders model 613, 2 log saws model 160 (with Trimex model 51.01), furthermore with 1 core winder model 211, production speed 700 m/min. resp. 35 logs / min., with 1 WRAPMATIC wrapper model PW30, 2 WRAPMATIC wrappers model MW10, 1 WRAPMATIC wrapper model MW30, 2 CASMATIC bundlers model IN5/Super, as well as with 2 OCME palletizer model 24-P115 and 1 PIERI stretcher model AVR101 PEA, very good condition, immediately available

Ref. #402

1 PERINI toilet and kitchen roll rewinder line model Alfetta, year 1990, working width 1.800 mm, with 2 unwind stands model 12.13, 1 DERL double embossing / lamination station model 89.03 (year 2004), rewinder model Alfetta for log diam. 90 – 140 mm (with integrated edge embosser, year 1995), tail sealer model 65.40 (28 logs / min.), 1 accumulator model 510 (for 250 logs), log loader model 613, 1 log saw model 130 (with Trimex model 51.01), furthermore with 1 core winder model 211 (2 unwind stands), production speed of the line 350 m/min. resp. 28 logs / min., with 1 HAYSSEN bag filler model HCN40/85, very good condition, immediately available

Ref. #436

1 CONSANI toilet and kitchen roll rewinder model Gemini 500, year 1998 (refurbished in 2016 incl. touch screen panel, automatic adjustment of log diam. and perforation, log density etc.), working width 2.700 mm, with 1 unwind stand, 1 IDEA embosser / laminator, 1 MTC Micro/Macro embossing station incl. ply-bonding / edge embossing (54 knurling rollers), CONSANI Gemini 500 rewinder for logs of 92 - 152 mm, CONSANI tail sealer (refurbished / new PLC in 2010), accumulator for 380 logs, PERINI 3-lane log saw 163E incl. Trimex, production speed 500 m/min. resp. 28 logs / min., as well as with CONSANI core winder (3 unwind stands), furthermore with 1 CASMATIC diverter model DR3, many embossing rollers and spare parts, very good condition, immediately available





1 RONCO toilet roll rewinder, working width 2.690 mm, with 1 unwind stand, double embossing station with steel/rubber embossing rollers, start/stop rewinder for logs of 90 - 135 mm, accumulator for 16 logs, max. speed 350 mm, furthermore with 2-lane RONCO log saw (speed 60 cuts / min.), good condition, still in production, immediately available

Ref. #473

1 PERINI kitchen roll line model BRAVO, working width 2.650 mm, with 2 unwind stands model 48.11 (year 2002), PCMC 4colour printing station, 1 PCMC double embossing station incl. lamination for DESL embossing, 1 PERINI P/P embosser model 49.01, rewinder PERINI Bravo (fully refurbished / servo motor for rider roll), PERINI tail sealer model 560 (year 2002), ROLCO log accumulator and distributor, 2 PCMC log saws, speed approx. 300 m / min, furthermore with PCMC core maker (year 2006), upon request with CASMATICW42 wrapper and BFA25 bundler, good condition, still in production, immediately available

Ref. #497

1 LAWTON single roll wrapper model CAL100 ('twist 'n tuck'), with single rolls infeed conveyor, unwinds stand for roll of up to 76 cm, rotary knife section with suction belts, rubber cups for single rolls, production speed approx. 70 rolls/min., good condition, immediately available

Ref. #501

1 MTORRES toilet and kitchen roll rewinder model SRT-V26, year 2017, working width 2.650 mm, with 2 unwind stands (max. roll diam. 2.500 mm), 1 embosser / laminator (DESL / Deco embossing), rewinder for logs of 90 - 220 mm, tail sealer, accumulator for 175 logs, 4-lane log saw (blade diam. 1.000 mm), speed approx. 550 m/min. as well as with core winder (3 unwind stands), excellent condition, immediately available

Ref. #509

1 PCMC toilet roll rewinder line model Sintesi 65.0, year 2006, working width 2.750 mm, with 2 unwind stand models BS2502 for max. reel diam. of 2.500 mm, core conveyor / chain elevator model 931A, rewinder model Sintesi 65.0 (log diam. 90 – 160 mm, 45 logs / min.) with 54 knurling rollers for ply-bonding, tail-sealer model Rotoseal 35 for log diam. 90 – 150 mm (speed 25 logs / min.), log accumulator model A300 with 300 buckets, 4-lane log saw model Tetra (200 cuts / min.), speed of line 650 m/min., still in production, very good condition, available in October 2020

Ref. #511

1 CASMATIC bundler model CMB202, year 2007, bundle widths from 330 – 850 mm, length from 200 - 800 mm, height from 195 – 400 mm, with Casmatic CMD1H5 diverter, 2 infeed sections (1 for single rolls of toilet tissue and 1 for multiple packs of toilet and kitchen rolls), change parts for 12 and 15 kitchen rolls and 20 and 36 toilet rolls, collecting and sorting unit, unwind stand for film, wrapping unit, outfeed belt, speed up to 20 bundles / min., excellent condition, still installed, immediately available





1 PERINI ECHO toilet roll rewinder model Sincro 4.5, working width 2.650 mm, year 1994, with 2 ROLCO unwind stands (year 2004), ROLCO ply-bonding unit / knurling rollers, 1 PERINI embosser with 1 set of steel/rubber embossing rollers, PERINI plybonding unit / knurling rollers, PERINI Sincro 4.5 rewinder for logs of 90 - 140 mm, PERINI tail sealer model 540, PERINI accumulator model 533G, 2 PERINI log loaders model 500G, 2 2-lane log saws PERINI model 115E (one log saw overhauled and modified in 2009), speed 400 m/min. resp. 22 logs / min., as well as with GUSCHKY & TOENNESMANN core winder, furthermore with 1 PCMC / HAYSSEN bag filler model wrapper model TR101R (refurbished and modified in 2012), 1 PCMC / HAYSSEN bag filler model TR200R (refurbished and modified in 2014), 2 HAYSSEN bundlers model HBM-7 (only one in operation), good condition, immediately available

Ref. #533:

1 LYISH rewinder line for toilet and industrial rolls model LRSA-2E (year 2009), working width 2.800 mm, roll diam. 90 - 250 mm, speed 320 meter per minute, with 1 unwind stand, embossing station with steel/rubber embossing rollers, rewinder, tail-sealer, log saw LCA 300 for max. roll diam. 230 mm (max. 120 cuts / minute), good condition, still in production, immediately available.

Ref. #535

1 PCMC toilet and kitchen roll rewinder line model Korleus for rolls with and without cores, year 1997, working width 1.725 mm, with 3 unwind stands, 1 embossing / lamination station, 1 quilted embosser, rewinder model Korleus, PERINI tail sealer model TLX, ROLCO accumulator, 1 PCMC log saw model MonoLog, production speed of the line 350 m/min. resp. 18 logs / min., furthermore with 1 TMC wrapper model QualiWrap 1800 and 1 LYNX bundler, still in production, very good condition, immediately available

Ref. #546

1 PERINI toilet and kitchen roll line model 813, working width 2.750 mm, year 1985, with 1 unwind stand, 2-position embossing station with two sets of steel/rubber embossing rollers (1x kitchen / 1 x toilet rolls), rewinder PERINI 813, tail sealer, 1 PCMC log saw, speed approx. 250 m/min. resp. 8 logs / min, as well as with 1 CASSOLI PAC110 wrapper (for 2-4-10 rolls / pack), good condition, immediately available

Ref. #547

1 PERINI toilet roll rewinder model DELTA, 2.700 mm working width, year 1987 (rewinder equipment refurbished in 2017), with 1 unwind stand model 12.13, 1 PERINI embossing station model 49.01 (modified to DESL), rewinder PERINI Delta, PERINI tail sealer, PERINI accumulator model 55.10 for approx. 150 logs, 2-lane log saw incl. Trimex, speed approx. 300 m/min. resp. 10 logs / min., with 1 WRAPMATIC wrapper model MW30/A and 1 CASSOLI bundler model IN/5 Super, as well as with 1 core winder model PC210, very good condition, still in production, immediately available

Ref. #549

1 TMC toilet and kitchen roll wrapper model UNO, year 2007, equipped with parts for 1, 2, 6, and 8 kitchen rolls, with 4-lane infeed, print registration, perforation, bottom (lap) sealing system, Allen Bradley platform, speed approx. 90 - 120 packs / min. (single rolls), very good production condition, immediately available





INDUSTRIAL ROLL REWINDERS

Ref. #408

1 CONSANI industrial roll rewinder, year 1990, working width 2.700 mm, with 1 unwind stand, 1 embossing station with steel/rubber embossing rollers, 1 UNITED CONVERTING embossing / lamination unit (retrofitted in 2013), edge embossing (ply-bonding by means of knurling rollers), rewinder for log diam. 110 - 350 mm, roll-down table, speed approx. 350 m/min., good condition, immediately available

Ref. #462

1 BAOSUO industrial roll rewinder model YD-C 1575, year 2011, working width 2.750 mm, with 2 unwind stands, embossing station with steel/rubber embossing rollers, built-in slitters for bigger log diameters, start/stop rewinder for log diam. 90 - 300 mm, furthermore with band saw for log diam. 127 – 254 mm (year 2019), production speed 180 m/min., good condition, immediately available

Ref. #512

1 ITALCONVERTING (PCMC) industrial log saw model LS32i, with universal clamps for log diam. 140 – 305 mm, blade diam. 1.000 mm, trim removal, infeed conveyor for max. 3.000 mm log length, speed approx. 60 strokes / min. (depending on log diameter and density), good condition, immediately available

Ref. #515

1 ITALCONVERTING (PCMC) industrial roll rewinder model IR505, working width 2.750 mm, year 1999, with 1 integrated unwind stand, integrated embossing station with steel/rubber embossing rollers, integrated ply-bonding / 27 edge embossers, automatic core feeding, rewinder (automatic start-stop) for log diam. 120 – 500 mm, variable perforation length (min. 90 / max. 800 mm), tail sealer, speed approx. 500 m/min., roll-down-table, as well as with CONSANI log saw model C808 (year 1984) for logs of max. 200 mm, speed approx. 100 cuts / min., furthermore with 1 CASSOLI bundler model IN3/AL HS (year 1987), very good condition, still installed, immediately available

HANDTOWEL MACHINES

Ref. #305

1 MTC MTF1000 handtowel interfolder for Z-fold handtowels, year 1997 (new electronics in 2012), 1.320 mm working width, with driven unwind stand, embossing / laminating station with two sets of steel/rubber embossing rollers (for DERL embossing), 1-color printing station, automatic interfolder model MTF 1000 (230 mm cut-off), max. speed 150 m/min., automatic delivery to 1 CONVERPACK banding machine (film) model ICKP 1400 (year 2005), 1 automatic CONVERPACK 1-lane log saw with electronic cut-off adjustment (year 2005), 1 MACDUE case packer model MD2010 (year 2013), furthermore with 1 FERPLAST stretcher, immediately available

Ref. #400

1 MTC model ITF 5000 automatic production and packaging line for V-fold handtowels, year 2005, folding machine mainly consisting of 2 unwind stands for 2.940 wide mm parent reels, 1 embossing station, 90° deflection incl. length cutter, ITF 5000 interfolder (working width 1.470 mm, cut-off 206 mm), furthermore with banding station model FPB10, log saw model FLS 120, as well as with MICROLINE case packer model ROM800, speed max. 180 m/min. resp. 8 logs / min., very good condition, still in production, available upon agreement





1 GEVAS bag filler model Citomat, with one-lane infeed, overheaed product pushers, product arrangement station, bag magazin, automatic bag opening and filling station, impulse sealing, film waste absorption, currently set for 2 banded clips of handtowels, production speed approx. 30 bags / min., very good condition (still installed and ready for demonstration), immediately available

Ref. #532

1 WALI handtowel interfolder model 122 for V-, W- and N-fold handtowels, year 2005, 1.100 mm working width, with 2 driven unwind stands, embossing station with two sets of steel/rubber embossing rollers, interfolder (cut-off to be set to 160, 240 or 320 mm to a final towel width of 80 mm), speed 50 m/min., manual delivery to WALI banding machine (film) for 10 logs / min., automatic WALI 1-lane log saw with electronic cut-off adjustment (32 cuts / min.), excellent condition, immediately available

NAPKIN FOLDERS

Ref. #49

1 HOBEMA 14M-2 napkin folder, year 1987, double-lane, for napkin size 40 cm, with driven unwind stand, calendering unit, web aligner no. 1, 2-colour printing tower (with 2 printing units), hot-air dryer, web aligner no. 2, embossing station with one set of steel/steel embossing rollers (border embossing), 2 sets of folding cylinders for 40 cm, automatic transfer, production speed approx. 250 m/min, with SENNING 522 SE/P wrapping machine, speed approx. 50 packs / min., very good condition (ready for demonstration), immediately available

Ref. #276

1 SERV-O-TEC napkin folder model 802/660 S/4, double-lane, year 1998 for 1/4-folded napkins, with driven unwind stand, calendering unit, BST web aligner, 4-colour printing tower with 4 printing stations, infra-red drying system with two IR-cassettes (36 kW heating capacity), web stabilizing drum (with inside electrical heating), 2nd BST web aligner, 2-position embossing station with 2 sets of steel/paper embossing rollers for 33 x 33 cm border embossing and allover embossing, folding station with length slitter and two length folding plates, 1/4-folding cylinders for a size range of 30 – 42 cm, auto transfer, speed approx. 250 m/min., with 1 CASSOLI PAC340 wrapping machine (year 1999), speed approx. 40 packs/min., very good condition, still in production, immediately available

Ref. #296

1 HOBEMA napkin folder model 14C, for napkins of size 33 cm, with driven unwind stand, calendering unit, web aligner no. 1, 6-colour printing tower (with 6 printing units), hot-air dryer, BST video web inspection (model Super HandyScan), web aligner no. 2 (BST Ekr500, new), embossing station with two sets of steel/paper embossing rollers (for border embossing 33 cm), length folding plates for standard and headfold, 2 sets of folding cylinders for 33 cm, production speed approx. 250 m/min, very good condition (continuously maintained), still in production, immediately available

Ref. #323

1 PERINI napkin folder model 8.5 (F8051), year 2008, for napkins of size 25, 29, 30 and 39 cm (one size at your choice), with driven unwind stand incl. reel lifter, FIFE-web aligner, 2-colour printing tower with 2 printing units (incl. ink pumps), embossing station with steel/steel embossing rollers for 25 x 25, 29 x 29, 37 x 37, 39 x 39 cm (one set matching the product size of your choice), as well as for allover embossing, folding cylinders for sizes 25, 29, 30, and 39 cm (you may choose one set), automatic transfer, production speed 250 m/min., upon request with 1 CASMATIC wrapper model PAC340, very good condition, still in production, immediately available





1 PERINI napkin folder model 8.5 (F8051), year 2008, for napkins of size 25, 29, 30 and 39 cm (one size at your choice), with driven unwind stand incl. reel lifter, FIFE-web aligner, embossing station with steel/steel embossing rollers for 25 x 25, 29 x 29, 37 x 37, 39 x 39 cm (one set matching the product size of your choice), as well as for allover embossing, folding cylinders for sizes 25, 29, 30, and 39 cm (you may choose one set), automatic transfer, production speed 250 m/min., upon request with 1 CASSOLI wrapper model PAC340, very good condition, still in production, immediately available

Ref. #404

1 SENNING napkin wrapper model 522 SE/M, year 1984, for product length 80 - 200 mm, width 120 - 200 mm, and height 20 - 130 mm, with size parts for 33 x 33 cm napkins (pack height 7,5 cm), with infeed chain, automatic film feeding, print register control, standard perforation, speed up to 40 packs / min., very good condition, immediately available

Ref. #412

1 PERINI ECHO point-to-point embossing station for napkins, year 1993, working width 840 mm, stand-alone unit / separately driven, with dancing roller, new rubber roller and glue pump, very good condition, immediately available

Ref. #437

1 SERV-O-TEC napkin folder model servo-flex 904/660, year 1999, for 1/4-fold napkins, with 2 driven unwind stands, 2 calendering units and 2 web aligners (one behind each unwind), 4-position embossing station with 4 sets of embossing rollers (border embossing for 33 cm napkins), 2 complete folding stations, each with length slitter, two length folding plates, one set of folding cylinders (size range of 23 – 33 cm / double-lane production each), automatic transfer, speed approx. 144.000 napkins / hour, as well as with 1 SENNING 522 SE/M/G2 napkin wrapper for single and double packs, good condition, immediately available

Ref. #438

1 OMET / CPS napkin folder model TV503 / CPS801, years 1994 / 2011, for napkins of size 33 cm, with driven unwind stand, calendaring unit, web aligner, embossing station with 1 set of embossing rollers (border embossing for size 33 cm), 2nd embossing station before folding station, folding cylinders for sizes 33 cm, automatic transfer, speed approx. 450 m/min., as well as with 1 CPS wrapper model CPS 801 (year 2011) with size parts for two different pack heights, speed approx. 45 packs / min. very good condition, immediately available

Ref. #469

1 MULTIPACK napkin wrapper model G500, year 1999, equipped with size parts for 33 x 33 cm (1/4-fold, single- and doublepacks), with infeed chain, automatic film feeding, print register control, standard perforation, speed approx. 20 packs / min., good condition, available upon request

Ref. #470

1 HEINO ILSEMANN napkin wrapper model NW-4, year 2010, equipped with size parts for 33 x 33 cm (1/4-fold, single- and double-packs), with infeed chain, automatic film feeding (suction belts), print register control, standard perforation, central lubrication, speed approx. 30 packs / min. (double- packs), very good condition, available upon request

Ref. #498

1 HEINO ILSEMANN napkin wrapper model NW-4, year 2008, equipped with parts for 5 different sizes (a.o. 40 x 40 and 40 x 33 cm / guest towel (1/4-fold, single- and double-packs) and various pack heights, with infeed chain, automatic film feeding (suction belts), print register control, standard perforation, central lubrication, speed approx. 35 packs / min., very good condition, available upon request





1 HEINO ILSEMANN napkin wrapper model NW-6, year 2006, equipped with size parts for 25 x 25 and 33 x 33 cm (1/4-fold, single packs, 3 different heights), with infeed chain, automatic film feeding (suction belts), print register control, standard perforation, wrapping station, outfeed belt with side sealing, central lubrication, additional pack turning station, speed approx. 50 packs / min., very good condition, still in production, immediately available

Ref. #534

1 double-lane SDF napkin folder model EcoLine 3/860, year 2005, for 1/4- and 1/8-folded napkins, with driven unwind stand (turret-type, incl. reel lifting device), calendering unit, web aligner, 4-colour printing tower with 3 printing stations, infra-red drying system with two IR-cassettes (one cassette filled, 26 kW heating capacity), 2-position embossing station 2 sets of steel/paper embossing rollers for 33 x 33 and 40 x 40 cm, folding station with length slitter, 2 sets of length folding plates (V-fold), folding cylinders for 1/4- and 1/8-fold in a size range of 30 - 42 cm, automatic transfer for 1/4- and 1/8-folded napkins, speed approx. 300 m/min., as well as with CASMATIC PAC380 wrapping machine for single, double (1/4- and 1/8-fold stacks) and four stacks (1/8-fold only), very good condition, still in production, immediately available

Ref. #553:

1 SERV-O-TEC napkin folder model servo-flex 800 S/8 (year 1993), with driven unwind stand (turret- type), calendering unit, BST web aligner no. 1, 8-colour printing tower (equipped with 8 printing units), BST ProMark web video inspection, 3-cassette IR-dryer (54 kW heating capacity), web stabilizing drum with inside electrical heating, BST web aligner no. 2, 2-position embossing station with 1 set of steel/paper embossing rollers (33 cm border embossing), folding station with 1/4-folding cylinders / size range of 23 - 33 cm, manual transfer, production speed of line approx. 45.000 napkins / hour, upon request with 1 SENNNING napkin wrapper model 522 SE/M (year 1984), very good condition, immediately available

Ref. #554:

1 GIEBELER napkin folder model servo-flex S150 (year 1989), with driven unwind stand (turret- type), calendering unit, BST web aligner no. 1, 6-colour printing tower (equipped with 4 printing units), BST ProMark web video inspection, hot-air dryers, web stabilizing drum, BST web aligner no. 2, 2-position embossing station with 1 set of steel/paper embossing rollers (33 and/or cm border embossing), folding station with 1/4-folding cylinders / size range of 30 - 42 cm, manual transfer, production speed of line approx. 45.000 napkins / hour, very good condition, immediately available

FACIAL TISSUE MACHINES

Ref. #140:

1 BRETTING V-fold facial tissue for 'mansize' / extra large facial tissues or dry baby wipes line, year 1994, max. working width 2.700 mm, for tissues of size 270 x 230 mm (cut-off x width, 7-lane production) resp. 270 x 307 mm / 5-lane production, with 4 driven unwind stands for max. 1.676 mm reel width and 2.134 mm reel diam., dual calendaring / ply-bonding station, interfolding station, automatic counting, stacking, separation and transfer station, gang-saw for 5- or 7-lane production, production speed approx. 120 m /min resp 7 logs / min., sheet count 76 – 300 tissues / 39 – 140 mm, as well as with LANGENPAC (MPAC Langen) cartoner model B1, 7-lane loader, production speed approx. 55 boxes / min., furthermore width FOCKE case packer model 446 (various case configurations), speed approx. 14 cases / min., very good condition, immediately available





1 DCM EPOCHIEF facial tissue interfolder for V-folded products, year 2003, cut-off length 210 mm, with 2 unwind stands, plybonding (knurling rollers), length slitters, interfolder (V-fold, clean-cut), manual transfer, speed 80 m/min., very good condition, immediately available (upon request with HARRO HÖFLIGER cartoner as per ref. #496) Seite 11 von 12

Ref. #496:

1 HARRO HÖFLIGER facial tissue cartoner model BK40-9, year 1989, for cartons of 20 - 100 mm height / 50 - 190 mm depth / 150 - 300 mm length, with 2 infeed belts (one from the operator's side and one from the driving side), bucket conveyors, extended carton magazine, automatic carton erection, automatic product compression and loading, automatic box closing incl. NORDSON hotmelt unit, carton outfeed belt, speed up to 60 cartons / min., very good condition, upon request with DCM interfolder as per ref. #495)

HANDKERCHIEF MACHINES

Ref. #485

1 WINKLER + DÜNNEBIER / SENNING handkerchief line for standard and mini hankies and of size 210 x 210 mm, year 2012, consisting of 1 W+D folding machine model 622.03, 2-lanes, 1 SENNING wrapping machine model 525A-100.1 (format parts for 2-, 3, and 4-ply hankies), including labeler model DPSII.1, as well as with SENNING bundler model 522TG (pack configurations 15 - 18 - 24 - 36 - 48 packs / bundle), production speed of line max. 4.500 hankies / 400 packs / 45 bundles per minute, very good condition, still in production, immediately available

Ref. #545

1 LEUPOLD Tempo F3 handkerchief line for standard hankies and of size 216 x 216 mm, year 1981 / 1995 / 2015, consisting of 1 folding machine (2-lanes, modified to accept top-to-flat embossing rollers and including STACKHOUSE BROWN lotion applicator), 1 SENNING wrapping machine model 525A (format parts for 4-ply hankies / 10 per pack), BBK labeler model Rapid S60, as well as with OK Machinery bundler model 401-JXOK-08, production speed of line approx. 110 packs / min., good condition, still in production, available in September 2020

MISCELLANEOUS

Ref. #311

1 4-lane SERV-O-TEC folding machine model servo-flex 804/660, year 1997, for 1/4-fold sheets in a size range of 16 - 22 cm (V- and Z-fold), with driven unwind stand, web aligner, calendaring unit, embossing station (without rollers), folding station with 3 lengths slitters, V- and Z-fold length folding plates, turning station for products without length-fold, folding cylinders in a size range of 16 - 22 cm, automatic transfer and delivery chain, speed approx. 35.000 sheets / hour resp. 40 packs / min. (whatever is reached first), very good condition, immediately available

